



# TPLO Plate

Order Form

## 2.0 mm TPLO Plates


Product Description	Item Number	Order Quantity
<b>2.0 mm TPLO Plates</b>		
TPLO locking plate, standard, left, 2.0 mm	VAR-4120S-L	
TPLO locking plate, standard, right, 2.0 mm	VAR-4120S-R	

## 2.0 mm Low-Profile Nonlocking Screws, Titanium, Cortical

Product Description	Item Number	Order Quantity
2.0 mm × 6 mm	VAR-8920-06	
2.0 mm × 7 mm	VAR-8920-07	
2.0 mm × 8 mm	VAR-8920-08	
2.0 mm × 9 mm	VAR-8920-09	
2.0 mm × 10 mm	VAR-8920-10	
2.0 mm × 11 mm	VAR-8920-11	
2.0 mm × 12 mm	VAR-8920-12	
2.0 mm × 13 mm	VAR-8920-13	
2.0 mm × 14 mm	VAR-8920-14	
2.0 mm × 16 mm	VAR-8920-16	
2.0 mm × 18 mm	VAR-8920-18	
2.0 mm × 20 mm	VAR-8920-20	
2.0 mm × 22 mm	VAR-8920-22	
2.0 mm × 24 mm	VAR-8920-24	
2.0 mm × 26 mm	VAR-8920-26	
2.0 mm × 28 mm	VAR-8920-28	
2.0 mm × 30 mm	VAR-8920-30	

## 2.0 mm Low-Profile Locking Screws, Titanium

Product Description	Item Number	Order Quantity
2.0 mm × 6 mm	VAR-8920L-06	
2.0 mm × 7 mm	VAR-8920L-07	
2.0 mm × 8 mm	VAR-8920L-08	
2.0 mm × 9 mm	VAR-8920L-09	
2.0 mm × 10 mm	VAR-8920L-10	
2.0 mm × 11 mm	VAR-8920L-11	
2.0 mm × 12 mm	VAR-8920L-12	
2.0 mm × 13 mm	VAR-8920L-13	
2.0 mm × 14 mm	VAR-8920L-14	
2.0 mm × 16 mm	VAR-8920L-16	
2.0 mm × 18 mm	VAR-8920L-18	
2.0 mm × 20 mm	VAR-8920L-20	
2.0 mm × 22 mm	VAR-8920L-22	
2.0 mm × 24 mm	VAR-8920L-24	
2.0 mm × 26 mm	VAR-8920L-26	
2.0 mm × 28 mm	VAR-8920L-28	
2.0 mm × 30 mm	VAR-8920L-30	



## 2.4 mm TPLO Plates

Product Description	Item Number	Order Quantity
<b>2.4 mm TPLO Plates</b>		
TPLO locking plate, left, 2.4 mm, standard	<b>VAR-4124S-L</b>	
TPLO locking plate, right, 2.4 mm, standard	<b>VAR-4124S-R</b>	

## 2.4 mm Low-Profile Nonlocking Screws, Titanium, Cortical

Product Description	Item Number	Order Quantity
2.4 mm × 8 mm	<b>VAR-8924-08</b>	
2.4 mm × 9 mm	<b>VAR-8924-09</b>	
2.4 mm × 10 mm	<b>VAR-8924-10</b>	
2.4 mm × 11 mm	<b>VAR-8924-11</b>	
2.4 mm × 12 mm	<b>VAR-8924-12</b>	
2.4 mm × 13 mm	<b>VAR-8924-13</b>	
2.4 mm × 14 mm	<b>VAR-8924-14</b>	
2.4 mm × 16 mm	<b>VAR-8924-16</b>	
2.4 mm × 18 mm	<b>VAR-8924-18</b>	
2.4 mm × 20 mm	<b>VAR-8924-20</b>	
2.4 mm × 22 mm	<b>VAR-8924-22</b>	
2.4 mm × 24 mm	<b>VAR-8924-24</b>	
2.4 mm × 26 mm	<b>VAR-8924-26</b>	
2.4 mm × 28 mm	<b>VAR-8924-28</b>	
2.4 mm × 30 mm	<b>VAR-8924-30</b>	

## 2.4 mm Low-Profile Locking Screws, Titanium

Product Description	Item Number	Order Quantity
2.4 mm × 8 mm	<b>VAR-8924L-08</b>	
2.4 mm × 9 mm	<b>VAR-8924L-09</b>	
2.4 mm × 10 mm	<b>VAR-8924L-10</b>	
2.4 mm × 11 mm	<b>VAR-8924L-11</b>	
2.4 mm × 12 mm	<b>VAR-8924L-12</b>	
2.4 mm × 13 mm	<b>VAR-8924L-13</b>	
2.4 mm × 14 mm	<b>VAR-8924L-14</b>	
2.4 mm × 16 mm	<b>VAR-8924L-16</b>	
2.4 mm × 18 mm	<b>VAR-8924L-18</b>	
2.4 mm × 20 mm	<b>VAR-8924L-20</b>	
2.4 mm × 22 mm	<b>VAR-8924L-22</b>	
2.4 mm × 24 mm	<b>VAR-8924L-24</b>	
2.4 mm × 26 mm	<b>VAR-8924L-26</b>	
2.4 mm × 28 mm	<b>VAR-8924L-28</b>	
2.4 mm × 30 mm	<b>VAR-8924L-30</b>	

### 2.7 mm TPLO Plates

Product Description	Item Number	Order Quantity
<b>2.7 mm TPLO Plates</b>		
TPLO plate, left, 2.7 mm, standard	VAR-4027S-L	
TPLO plate, right, 2.7 mm, standard	VAR-4027S-R	

### 2.7 mm TPLO Cortical Screws, Stainless Steel

Product Description	Item Number	Order Quantity
2.7 mm × 10 mm	VAR-8827-10	
2.7 mm × 12 mm	VAR-8827-12	
2.7 mm × 14 mm	VAR-8827-14	
2.7 mm × 16 mm	VAR-8827-16	
2.7 mm × 18 mm	VAR-8827-18	
2.7 mm × 20 mm	VAR-8827-20	
2.7 mm × 22 mm	VAR-8827-22	
2.7 mm × 24 mm	VAR-8827-24	
2.7 mm × 26 mm	VAR-8827-26	
2.7 mm × 28 mm	VAR-8827-28	
2.7 mm × 30 mm	VAR-8827-30	
2.7 mm × 32 mm	VAR-8827-32	
2.7 mm × 34 mm	VAR-8827-34	
2.7 mm × 36 mm	VAR-8827-36	
2.7 mm × 38 mm	VAR-8827-38	
2.7 mm × 40 mm	VAR-8827-40	
2.7 mm × 42 mm	VAR-8827-42	
2.7 mm × 44 mm	VAR-8827-44	
2.7 mm × 45 mm	VAR-8827-45	
2.7 mm × 46 mm	VAR-8827-46	
2.7 mm × 48 mm	VAR-8827-48	
2.7 mm × 50 mm	VAR-8827-50	

### 2.7 mm TPLO Locking Screws, Stainless Steel

Product Description	Item Number	Order Quantity
2.7 mm × 8 mm	VAR-8827L-08	
2.7 mm × 10 mm	VAR-8827L-10	
2.7 mm × 12 mm	VAR-8827L-12	
2.7 mm × 14 mm	VAR-8827L-14	
2.7 mm × 16 mm	VAR-8827L-16	
2.7 mm × 18 mm	VAR-8827L-18	
2.7 mm × 20 mm	VAR-8827L-20	
2.7 mm × 22 mm	VAR-8827L-22	
2.7 mm × 24 mm	VAR-8827L-24	
2.7 mm × 26 mm	VAR-8827L-26	
2.7 mm × 28 mm	VAR-8827L-28	
2.7 mm × 30 mm	VAR-8827L-30	
2.7 mm × 32 mm	VAR-8827L-32	
2.7 mm × 34 mm	VAR-8827L-34	
2.7 mm × 36 mm	VAR-8827L-36	
2.7 mm × 38 mm	VAR-8827L-38	
2.7 mm × 40 mm	VAR-8827L-40	
2.7 mm × 42 mm	VAR-8827L-42	
2.7 mm × 44 mm	VAR-8827L-44	
2.7 mm × 45 mm	VAR-8827L-45	
2.7 mm × 46 mm	VAR-8827L-46	
2.7 mm × 48 mm	VAR-8827L-48	
2.7 mm × 50 mm	VAR-8827L-50	



### 3.5 mm TPLO Plates

Product Description	Item Number	Order Quantity
<b>3.5 mm TPLO Plates</b>		
TPLO plate, left, 3.5 mm, small	VAR-4035SM-L	
TPLO plate, right, 3.5 mm, small	VAR-4035SM-R	
TPLO plate, left, 3.5 mm, standard	VAR-4035S-L	
TPLO plate, right, 3.5 mm, standard	VAR-4035S-R	
TPLO plate, left, 3.5 mm, broad	VAR-4035B-L	
TPLO plate, right, 3.5 mm, broad	VAR-4035B-R	

### 3.5 mm TPLO Cortical Screws, Stainless Steel

Product Description	Item Number	Order Quantity
3.5 mm × 8 mm	VAR-8835-08	
3.5 mm × 10 mm	VAR-8835-10	
3.5 mm × 12 mm	VAR-8835-12	
3.5 mm × 14 mm	VAR-8835-14	
3.5 mm × 16 mm	VAR-8835-16	
3.5 mm × 18 mm	VAR-8835-18	
3.5 mm × 20 mm	VAR-8835-20	
3.5 mm × 22 mm	VAR-8835-22	
3.5 mm × 24 mm	VAR-8835-24	
3.5 mm × 26 mm	VAR-8835-26	
3.5 mm × 28 mm	VAR-8835-28	
3.5 mm × 30 mm	VAR-8835-30	
3.5 mm × 32 mm	VAR-8835-32	
3.5 mm × 34 mm	VAR-8835-34	
3.5 mm × 36 mm	VAR-8835-36	
3.5 mm × 38 mm	VAR-8835-38	
3.5 mm × 40 mm	VAR-8835-40	
3.5 mm × 42 mm	VAR-8835-42	
3.5 mm × 44 mm	VAR-8835-44	
3.5 mm × 45 mm	VAR-8835-45	
3.5 mm × 46 mm	VAR-8835-46	
3.5 mm × 48 mm	VAR-8835-48	
3.5 mm × 50 mm	VAR-8835-50	
3.5 mm × 52 mm	VAR-8835-52	
3.5 mm × 54 mm	VAR-8835-54	
3.5 mm × 55 mm	VAR-8835-55	
3.5 mm × 56 mm	VAR-8835-56	
3.5 mm × 58 mm	VAR-8835-58	

Product Description	Item Number	Order Quantity
3.5 mm × 60 mm	VAR-8835-60	
3.5 mm × 65 mm	VAR-8835-65	
3.5 mm × 70 mm	VAR-8835-70	
3.5 mm × 75 mm	VAR-8835-75	
3.5 mm × 80 mm	VAR-8835-80	

### 3.5 mm TPLO Locking Screws, Stainless Steel

Product Description	Item Number	Order Quantity
3.5 mm × 8 mm	VAR-8835L-08	
3.5 mm × 10 mm	VAR-8835L-10	
3.5 mm × 12 mm	VAR-8835L-12	
3.5 mm × 14 mm	VAR-8835L-14	
3.5 mm × 16 mm	VAR-8835L-16	
3.5 mm × 18 mm	VAR-8835L-18	
3.5 mm × 20 mm	VAR-8835L-20	
3.5 mm × 22 mm	VAR-8835L-22	
3.5 mm × 24 mm	VAR-8835L-24	
3.5 mm × 26 mm	VAR-8835L-26	
3.5 mm × 28 mm	VAR-8835L-28	
3.5 mm × 30 mm	VAR-8835L-30	
3.5 mm × 32 mm	VAR-8835L-32	
3.5 mm × 34 mm	VAR-8835L-34	
3.5 mm × 36 mm	VAR-8835L-36	
3.5 mm × 38 mm	VAR-8835L-38	
3.5 mm × 40 mm	VAR-8835L-40	
3.5 mm × 42 mm	VAR-8835L-42	
3.5 mm × 44 mm	VAR-8835L-44	
3.5 mm × 45 mm	VAR-8835L-45	
3.5 mm × 46 mm	VAR-8835L-46	
3.5 mm × 48 mm	VAR-8835L-48	
3.5 mm × 50 mm	VAR-8835L-50	
3.5 mm × 52 mm	VAR-8835L-52	
3.5 mm × 54 mm	VAR-8835L-54	
3.5 mm × 55 mm	VAR-8835L-55	
3.5 mm × 56 mm	VAR-8835L-56	
3.5 mm × 58 mm	VAR-8835L-58	
3.5 mm × 60 mm	VAR-8835L-60	

#### 4.5 mm TPLO Plates

Product Description	Item Number	Order Quantity
<b>4.5 mm TPLO Plates</b>		
TPLO locking plate, left, 4.5 mm, standard	<b>VAR-4045S-L</b>	
TPLO locking plate, right, 4.5 mm, standard	<b>VAR-4045S-R</b>	

#### 4.5 mm TPLO Cortical Screws, Stainless Steel

Product Description	Item Number	Order Quantity
4.5 mm × 24 mm	<b>VAR-8845-24</b>	
4.5 mm × 26 mm	<b>VAR-8845-26</b>	
4.5 mm × 28 mm	<b>VAR-8845-28</b>	
4.5 mm × 30 mm	<b>VAR-8845-30</b>	
4.5 mm × 32 mm	<b>VAR-8845-32</b>	
4.5 mm × 34 mm	<b>VAR-8845-34</b>	
4.5 mm × 36 mm	<b>VAR-8845-36</b>	
4.5 mm × 38 mm	<b>VAR-8845-38</b>	
4.5 mm × 40 mm	<b>VAR-8845-40</b>	
4.5 mm × 42 mm	<b>VAR-8845-42</b>	
4.5 mm × 44 mm	<b>VAR-8845-44</b>	
4.5 mm × 46 mm	<b>VAR-8845-46</b>	
4.5 mm × 48 mm	<b>VAR-8845-48</b>	
4.5 mm × 50 mm	<b>VAR-8845-50</b>	
4.5 mm × 52 mm	<b>VAR-8845-52</b>	
4.5 mm × 54 mm	<b>VAR-8845-54</b>	
4.5 mm × 56 mm	<b>VAR-8845-56</b>	
4.5 mm × 58 mm	<b>VAR-8845-58</b>	
4.5 mm × 60 mm	<b>VAR-8845-60</b>	
4.5 mm × 65 mm	<b>VAR-8845-65</b>	

#### 4.5 mm TPLO Locking Screws, Stainless Steel

Product Description	Item Number	Order Quantity
4.5 mm × 24 mm	<b>VAR-8845L-24</b>	
4.5 mm × 26 mm	<b>VAR-8845L-26</b>	
4.5 mm × 28 mm	<b>VAR-8845L-28</b>	
4.5 mm × 30 mm	<b>VAR-8845L-30</b>	
4.5 mm × 32 mm	<b>VAR-8845L-32</b>	
4.5 mm × 34 mm	<b>VAR-8845L-34</b>	
4.5 mm × 36 mm	<b>VAR-8845L-36</b>	
4.5 mm × 38 mm	<b>VAR-8845L-38</b>	
4.5 mm × 40 mm	<b>VAR-8845L-40</b>	
4.5 mm × 42 mm	<b>VAR-8845L-42</b>	
4.5 mm × 44 mm	<b>VAR-8845L-44</b>	
4.5 mm × 46 mm	<b>VAR-8845L-46</b>	
4.5 mm × 48 mm	<b>VAR-8845L-48</b>	
4.5 mm × 50 mm	<b>VAR-8845L-50</b>	
4.5 mm × 52 mm	<b>VAR-8845L-52</b>	
4.5 mm × 54 mm	<b>VAR-8845L-54</b>	
4.5 mm × 56 mm	<b>VAR-8845L-56</b>	
4.5 mm × 58 mm	<b>VAR-8845L-58</b>	
4.5 mm × 60 mm	<b>VAR-8845L-60</b>	
4.5 mm × 65 mm	<b>VAR-8845L-65</b>	

## Contact Details

First name
Last name
Account / Customer number
Purchase Order number E.g. first name initial, last name, date

Postcode is mandatory.  
Further address details are optional if customer number is available:

Clinic	Phone
Street	Email
Post code	City
Place   Date   Signature	

[Send form](#)